

# BRICK & PATIO CLEANER

A fast acting acid-based cleaner for dissolving cement and mortar stains and ingrained dirt from brickwork, blockwork, etc. It is ideal for removing unsightly mortar droppings and spillages. Brick & Patio Cleaner is also useful for the removal of minor efflorescence and lime bloom staining from concrete and masonry. For external use only.

**READY TO USE**  
**REMOVES CEMENT STAINS**  
**CLEANS EFFLORESCENCE**



## TECHNICAL INFORMATION

PRODUCT INFORMATION	
SIZE:	1L, 2.5L, 5L and 25L
COLOUR:	Pale straw/yellow liquid
HAZARD INFORMATION:	Contains Hydrochloric Acid - Causes severe skin burns and eye damage.
STORAGE CONDITIONS:	Store in sealed containers in dry conditions, protected from extremes of temperature
SHELF LIFE:	Minimum 24 months stored in good conditions
APPLICATION INFORMATION	
pH	~1.0
DENSITY	1.0 – 1.1 g/ml
CONSUMPTION	1L (Neat) will clean approx. 10 sq m depending on surface

**DIRECTIONS FOR USE****PREPARATION**

For external use only.

Brush clean or mechanically remove any large build-up of material prior to application.

Mask or cover adjacent areas to prevent damage from overspray or run-off.

Thoroughly dampen the surface.

Dilute as follows: General Use –Add 1 part Brick & Patio to 3 parts water. Stubborn Stains – Use Neat

**DIRECTIONS**

Test suitability on a small inconspicuous area.

Apply and brush directly onto stained area.

When 'fizzing' action has stopped, rinse off thoroughly with clean water.

Repeat until stain is removed.

It may be useful to scrub the area between applications of Brick & Patio Cleaner to improve cleaning efficiency.

**RESTRICTIONS**

Always treat a trial area as Brick & Patio Cleaner can cause surface discolouration, colour loss or etching on some surfaces. Never mix Brick & Patio Cleaner with any other cleaning chemicals. Ensure the area treated is thoroughly rinsed with clean water after treatment. Protect sensitive metal surfaces from contact with Brick & Patio Cleaner and its vapour. May damage acid sensitive surfaces including: metals, chrome, brass, limestone, marble etc. Ensure the area treated is well washed with clean water after treatment, to help prevent surface discoloration. Always carry out trial areas first to ensure suitability for use.