

# [English]: R-S1-603 [ENGLISH]: 60 E HEX



## PACKAGING

### FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlplug comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs



A (mm)  
65 X 130

B (mm)  
80 X 145

C (mm)  
95 X 165

D (mm)  
95 X 220

E (mm)  
145 X 220

F (mm)  
145 X 290




# PRODUCT

## FEATURES AND BENEFITS

---

Able to work with wood, metal, concrete, brick and any type of materials

---



## BASE MATERIALS



Wood with metal



Timber

## APPLICATIONS

---

Timber constructions

---

Wooden fences

---

Wooden swings

## PRODUCT COMMERCIAL DATA



| Product Code      | Quantity |      | Quantity |       | Bar Codes     |
|-------------------|----------|------|----------|-------|---------------|
|                   |          |      | Box      | Outer |               |
| R-S1-603-10100/5  | 5        | True | 5        | 15    | 5906675439761 |
| R-S1-603-06040/10 | 10       | True | 5        | 20    | 5906675439655 |
| R-S1-603-06050/10 | 10       | True | 5        | 20    | 5906675439662 |
| R-S1-603-06080/10 | 10       | True | 5        | 20    | 5906675439679 |
| R-S1-603-06100/5  | 5        | True | 5        | 20    | 5906675439686 |
| R-S1-603-08040/10 | 10       | True | 5        | 20    | 5906675439693 |
| R-S1-603-08050/10 | 10       | True | 5        | 20    | 5906675439709 |
| R-S1-603-08080/10 | 10       | True | 5        | 15    | 5906675439716 |
| R-S1-603-08100/5  | 5        | True | 5        | 15    | 5906675439723 |
| R-S1-603-08130/5  | 5        | True | 5        | 15    | 5906675439730 |
| R-S1-603-08150/5  | 5        | True | 5        | 15    | 5906675439747 |
| R-S1-603-10080/5  | 5        | True | 5        | 20    | 5906675439754 |
| R-S1-603-10110/5  | 5        | True | 5        | 15    | 5906675439532 |
| R-S1-603-10130/5  | 5        | True | 5        | 15    | 5906675439549 |
| R-S1-603-10150/5  | 5        | True | 5        | 10    | 5906675439556 |
| R-S1-603-10180/5  | 5        | True | 5        | 5     | 5906675439563 |
| R-S1-603-10200/5  | 5        | True | 5        | 5     | 5906675439570 |
| R-S1-603-12080/4  | 4        | True | 5        | 20    | 5906675439587 |
| R-S1-603-12100/4  | 4        | True | 5        | 15    | 5906675439594 |
| R-S1-603-12130/4  | 4        | True | 5        | 10    | 5906675439600 |
| R-S1-603-12150/4  | 4        | True | 5        | 10    | 5906675439617 |
| R-S1-603-12180/4  | 4        | True | 5        | 5     | 5906675439624 |
| R-S1-603-12220/2  | 2        | True | 5        | 5     | 5906675439631 |
| R-S1-603-12240/2  | 2        | True | 5        | 5     | 5906675439648 |