

PACKAGING FEATURES AND BENEFITS

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlbag comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs





PRODUCT FEATURES AND BENEFITS ~

Recommended for unknown substrates and exploited holes.


Short length enables successful use in thin walls.

Unique geometry guarantees maximum expansion and grip.

100% assurance of proper anchoring derived from unique split design of the plug in it's top part.

Anti-rotation features prevent spinning in the hole.

BASE MATERIALS 🗸





Hollow Sand-lime Brick

Aerated Concrete Block

Plasterboard

APPLICATIONS

Shelves
Suspended ceilings
Electrical fittings
Cable trays
Boilers
Radiators
Lighting
Bathroom fittings

PRODUCT COMMERCIAL DATA \checkmark



Product Code	Diameter [mm]	Length [mm]	Quantity	Quantity		
				Вох	Outer	Bar Codes
R-S1-UNO-05+/40	5	24	40	5	25	5906675095431
R-S1-UNO-05/20				5	30	5906675159614
R-S1-UNO-05/50				5	25	5906675095424
R-S1-UNO-05+/12				5	30	5906675159638
R-S1-UNO-06/16				5	30	5906675159652
R-S1-UNO-06/50				5	25	5906675095448
R-S1-UNO-06+/10				5	30	5906675159676
R-S1-UNO-06+/36	6	28	36	5	25	5906675095455
R-S1-UNO-07/40				5	25	5906675095462
R-S1-UNO-07+/24	7	30	24	5	25	5906675095479
R-S1-UNO-08/12				5	30	5906675159690
R-S1-UNO-08/30				5	25	5906675095486
R-S1-UNO-08+/20	8	32	20	5	25	5906675095509
R-S1-UNO-08+/8				5	30	5906675159713
R-S1-UNO-10/20	10	36	20	5	25	5906675095516
R-S1-UNO-10+/15	10	36	15	5	25	5906675095523
R-S1-UNO-BB				5	20	5906675095530
R-S1-UNO-RB				5	25	5906675095639
R-S1-UNO-RB+				5	25	5906675095646
R-S1-UNO-RBB			60	5	25	5906675095653
R-S1-UNO-RBG				5	20	5906675095660
R-S1-UNO-YRB				5	25	5906675095677
R-S1-UNO-YRB+				5	15	5906675095684
R-S1-UNO-YRBB+				5	25	5906675095691
R-S1-UNO-YRBBG				5	20	5906675095707
R-S1-UNO-YRBBG+				5	15	5906675095714
R-S1-UNO-YRBBG+S				5	10	5906675095721

I[®]**RAWLPLUG**