PACKAGING FEATURES AND BENEFITS ~

Each packaging features two highly functional solutions: the Ziploc type re-sealable zipper and the sturdy upper packaging section. This allows for the bag to be opened and closed multiple times, provides for secure storage of products for a long time, and facilitates display by preventing the bag from folding.

Depending on the product type, and its weight in particular, the Rawlbag comes in two standard thickness versions. All this to ensure durability and strength of our packaging in transport, the highest quality of product display, and ultimately also long-lasting storage.

The bags are made entirely of low-density polyethylene, which makes them suitable for recycling and reduces the related purchase costs





PRODUCT FEATURES AND BENEFITS ~

Long screw of the toggle fixing allows use in boards of various thicknesses and with thick attachements, offering maximum flexibility.


Wide transition beams ensure a good load distribution allowing high load-bearing capacity

Allows easy installation for fastenings behind thick panels in very flat cavities.

Self-acting anchor with easy installation.

Suitable for overhead applications

BASE MATERIALS 🗸



APPLICATIONS 🗸

| Light shelving | | | | |
|---------------------------|--|--|--|--|
| Brackets, grips and hooks | | | | |
| Paintings | | | | |
| Lamps | | | | |
| Lighting | | | | |
| Mirrors | | | | |
| Shelves | | | | |
| Other decorative elements | | | | |

PRODUCT COMMERCIAL DATA \checkmark

| Product Code | Quantity | Quantity | | - Bar Codes |
|-----------------|----------|----------|-------|---------------|
| | [pcs] | Box | Outer | - Bar Codes |
| R-S1-SPO5050/6 | | 5 | 25 | 5010445943690 |
| R-S1-SPO3050/20 | | 10 | 20 | 5906675265834 |
| R-S1-SPO3050/6 | 6 | 5 | 25 | 5010445943652 |
| R-S1-SPO5050/20 | 20 | 5 | 10 | 5906675265841 |
| R-S1-SPO5080/20 | 20 | 5 | 10 | 5906675265858 |
| R-S1-SPO5080/6 | 6 | 5 | 25 | 5010445943713 |
| R-S1-SPO6060/20 | | 5 | 10 | 5906675310039 |
| R-S1-SPO6080/20 | 20 | 5 | 10 | 5906675265865 |
| R-S1-SPO6080/6 | | 5 | 25 | 5906675094939 |

